Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method of internally encrypting data in a relational database, comprising the steps of:

providing a security dictionary comprising one or more security catalogs; receiving data from a user;

associating said data with a database column and at least one authorized user; generating a working encryption key;

internally encrypting said working encryption key within a database engine using a public key from an authorized user;

storing said encrypted working key in a security catalog; and

using said working key to internally encrypt encrypting said data within said

database engine using said working key.

- 2. (Original) The method of claim 1 further comprising the step of generating a private key needed to decrypt said encrypted working key.
- 3. (Original) The method of claim 2 wherein said public key is a password and is used by the system to look up said private key.

4. (Original) The method of claim 1 wherein said step of associating said data with a database column and a user is accomplished with an extended SQL syntax and further comprises the step of creating a relational database object comprising:

the identity of said authorized users;

a relational database table;

the identity of said column within said relational database table; and one or more security flags, said flags indicating user privileges to access said data.

- 5. (Original) The method of claim 1 wherein said working key is provided by a user.
- 6. (Original) The method of claim 1 wherein said working key is randomly generated.
 - 7. (Original) The method of claim 1 further comprising the steps of: receiving a query and private key from a user;

checking the ownership of an encrypted column using said security catalog to verify the user is authorized;

internally decrypting said encrypted working encryption key with said private key; internally decrypting said encrypted column with said working key;

processing said query; and

returning an answer to said query to the user.

8. (Currently Amended) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for internally encrypting data in a relational database, said method steps comprising:

providing a security dictionary comprising one or more security catalogs; receiving data from a user;

associating said data with a database column and at least one authorized user; generating a working encryption key;

internally encrypting said working encryption key within a database engine using a public key from an authorized user;

storing said encrypted working key in a security catalog; and

using said working key to internally encrypt encrypting said data within said

database engine using said working key.

- 9. (Original) The invention of claim 8 further comprising the step of generating a private key needed to decrypt said encrypted working key.
- 10. (Original) The invention of claim 9 wherein said public key is a password and is used by the system to look up said private key.
- 11. (Original) The invention of claim 8 wherein said step of associating said data with a database column and a user is accomplished with an extended SQL syntax and further comprises the step of creating a relational database object comprising:

the identity of said authorized users; a relational database table;
the identity of said column within said relational database table; and
one or more security flags, said flags indicating user privileges to access said
data.

- 12. (Original) The invention of claim 8 wherein said working key is provided by a user.
- 13. (Original) The invention of claim 8 wherein said working key is randomly generated.
- 14. (Original) The invention of claim 8 further comprising the steps of: receiving a query and private key from a user;

checking the ownership of an encrypted column using said security catalog to verify the user is authorized;

internally decrypting said encrypted working encryption key with said private key; internally decrypting said encrypted column with said working key; processing said query; and returning an answer to said query to the user.

15. (New) The method of claim 1 further comprising the step of writing the encrypted data into a database disk page, after the step of internally encrypting said data within said database engine using said working key.

- 16. (New) The method of claim 8 further comprising the step of writing the encrypted data into a database disk page, after the step of internally encrypting said data within said database engine using said working key.
- 17. (New) A method of internally creating index for encrypted data, comprising the steps of:

fetching encrypted data pages from storage;

computing a data encryption/decryption key;

decrypting the data to form plaintext data pages;

using said plaintext data pages, building an index and forming index pages; and encrypting said index pages.

Docket No.: YOR92001-0553 (8728-537)